

# Package ‘ResidentialEnergyConsumption’

October 12, 2022

**Type** Package

**Title** Residential Energy Consumption Data

**Version** 1.1.0

**Date** 2021-02-10

**Description** Datasets with energy consumption data of different data measurement frequencies.  
The data stems from several publicly funded research projects of the Chair of Information Systems and Energy Efficient Systems at the University of Bamberg.

**License** CC BY-SA 4.0

**Depends** R (>= 3.5.0)

**Enhances** SmartMeterAnalytics

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Konstantin Hopf [aut, cre] (<<https://orcid.org/0000-0002-5452-0672>>),  
Andreas Weigert [aut] (<<https://orcid.org/0000-0002-8093-3710>>),  
Nicolai Weinig [ctb],  
Thorsten Staake [aut] (<<https://orcid.org/0000-0003-1399-4676>>)

**Maintainer** Konstantin Hopf <konstantin.hopf@uni-bamberg.de>

**Repository** CRAN

**Date/Publication** 2021-02-10 13:10:02 UTC

## R topics documented:

elcons_15min . . . . .	2
heatinginfo_15min . . . . .	2
solarcadaster_features . . . . .	3
weather_data . . . . .	4

<b>Index</b>	<b>6</b>
--------------	----------

---

elcons\_15min                      *15-minute electricity consumption smart meter data.*

---

### Description

Electricity consumption of residential households in Switzerland for seven weeks. The data is provided as \*kWh\* measurements in 15-min intervals.

### Usage

elcons\_15min

### Format

A data frame with two types of variables:

VID An pseudonym for the household

V001, . . . , V672 Electricity consumption trace for one week in kWh

---

heatinginfo\_15min                      *Heating info for 15-min smart meter data.*

---

### Description

Ground truth data on housing type and heating information for the 15-minute smart meter dataset \*elcons\_15min\*. The data was collected from customers of an electric utility company in Switzerland with a survey in 2018.

### Usage

heatinginfo\_15min

### Format

A data frame with the following of variables:

VID An pseudonym for the household

household\_type The housing type: \*single family home\* (detached house), \*multi-family home\* (multiple dwellings in one house), \*semidetached house\* and \*teraced house\* (multiple houses in a row)

heating\_type Type of the heating system, either \*electric heating\*, \*heat pump\*, \*heat pump and boiler\*, or \*other\* (including gas, central heating in a multi-family home)

survey\_WP\_type Type of the heat pump, when a heat pump is installed, according to the survey response. Can be either \*air\*, \*geothermal\*, or \*don't know\*.

survey\_WP\_age The age of the heat pump according to the survey response. Can be either \*<10 years\*, \*10-20 years\*, \*20-30 years\*, \*>30 years\*, or \*don't know\*

**Details**

Not all study participants answered the survey, thus, several rows of the table contain only \*NA\* values.

---

solarcadaster\_features

*Solarcadaster features for individual households.*

---

**Description**

Data contains information about floor and roof spaces, as well as the energy demand for each individual household. For each household in \*elcons\_15min\*, at least five nearest neighbors are available in this dataset. When there are more than five nearest neighbors, there are at least two core addresses from which the distances were calculated (e.g., 2 adresses means 10 nearest neighbors).

**Usage**

solarcadaster\_features

**Format**

A data frame with the following of variables:

VID An pseudonym for the household

neighbor\_distance Euclidean Distance to the corresponding neighbor

total\_revenue\_electricity Total revenue of electricity of the household

floor\_space The floor space of the household in m2

roof\_space The roof space of the household in m2

roof\_space\_low\_m2 The roof space of the household in m2, which is classified as low solar potential

roof\_space\_medium\_m2 The roof space of the household in m2, which is classified as medium solar potential

roof\_space\_good\_m2 The roof space of the household in m2, which is classified as good solar potential

roof\_space\_verygood\_m2 The roof space of the household in m2, which is classified as very good solar potential

roof\_space\_excellent\_m2 The roof space of the household in m2, which is classified as excellent solar potential

roof\_space\_n The number of different roof spaces of the household.

roof\_space\_low The roof space of the household in m2, which is classified as low solar potential

roof\_space\_medium The number of roof spaces of the household, which are classified as medium solar potential

roof\_space\_good The number of roof spaces of the household, which are classified as good solar potential

roof\_space\_verygood The number of roof spaces of the household, which are classified as very good solar potential

roof\_space\_excellent The number of roof spaces of the household, which are classified as excellent solar potential

demand\_hotwater The emergy demand of the household for hot water per year

demand\_heating The emergy demand of the household for floor heating per year

## References

Klauser, Daniel (2016). Solarpotentialanalyse für Sonnendach.ch - Schlussbericht. Bundesamt für Energie BFE, Schweiz. <https://pubdb.bfe.admin.ch/de/publication/download/8196>

---

weather_data	<i>Weather data from one measuring station.</i>
--------------	---

---

## Description

Weather data from a weather station in a central location of the study region. The data contains hourly measurements over a period of ten weeks, similar to the time span of the dataset \*el-cons\_15min\*. Weather data are averaged across all available weather stations in the study area for each unit of time.

## Usage

weather\_data

## Format

A data frame with the following of variables:

DATE\_CET The date and time of the weather observation in Central European Time

WEEK Week of the year as decimal number (00–53) using Monday as the first day of week

WIND\_DIRECTION Wind direction in compass degrees. \*NA\* when air is calm (no wind speed)

CLOUD\_CEILING Lowest opaque layer with 5/8 or greater coverage

SKY\_COVER Sky cover: CLR-clear, SCT-scattered (1/8 to 4/8), BKN-broken (5/8 to 7/8), OVC-overcast, OBS-obscured, POB-partial obscuration

VISIBILITY Visibility in statute miles (rounded to nearest tenth)

TEMP Temperature measured in fahrenheit

SEA\_LEVEL\_PRESSURE Sea level pressure measured in millibars (rounded to nearest tenth)

STATION\_PRESSURE Station pressure measured in millibars (rounded to nearest tenth)

PCP01 1-hour liquid precip report in inches and hundredths, that is, the precip for the preceding 1-hour period

WIND\_SPEED Wind speed in miles per hour

**Details**

This data cannot be used or redistributed for commercial purposes. Re-distribution of these data by others must provide this same notification. (see <https://www.ncdc.noaa.gov/>)

**References**

NOAA National Centers for Environmental Information (2020)

**Examples**

```
data(elcons_15min, weather_data)

#transform 15-minute electricity measurements to hourly consumption values
hourly_cons <- colSums(matrix(t(elcons_15min$w44[1,2:673]), nrow=4))

#select temperature observations for week 44
hourly_temp <- weather_data[weather_data$WEEK==44,"TEMP"]

#compute correlation
cor(hourly_cons, hourly_temp)
```

# Index

## \* datasets

- elcons\_15min, [2](#)
- heatinginfo\_15min, [2](#)
- solarcadaster\_features, [3](#)
- weather\_data, [4](#)

elcons\_15min, [2](#)

heatinginfo\_15min, [2](#)

solarcadaster\_features, [3](#)

weather\_data, [4](#)