

# Package ‘addinsJoaoMelo’

October 12, 2022

**Type** Package

**Title** Addins Made of Joao Melo

**Version** 0.1.0

**Depends** R (>= 3.3.0)

**Imports** dplyr, stringr, rstudioapi, purrr

**Maintainer** Joao Melo <pjoao266@gmail.com>

**Description** Provide addins for 'RStudio'.

It currently contains 3 addins. The first to add a shortcut for the double pipe. The second is to add a shortcut for the same operator. And the third to simplify the creation of vectors from texts pasted from the computer transfer area.

**License** CC0

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.0

**NeedsCompilation** no

**Author** Joao Melo [aut, cre]

**Repository** CRAN

**Date/Publication** 2020-06-13 12:30:02 UTC

## R topics documented:

bare_combine . . . . .	2
insert_compound_assignment_pipe . . . . .	2
insert_equal . . . . .	2

<b>Index</b>	<b>3</b>
--------------	----------

---

bare_combine	<i>Bare combine</i>
--------------	---------------------

---

**Description**

Simplify mode of create vector in RStudio

**Usage**

```
bare_combine()
```

**Examples**

```
## Not run: bare_combine()
```

---

insert_compound_assignment_pipe	<i>Insert Compound Assignment pipe</i>
---------------------------------	--

---

**Description**

Add %<>% pipe in line of code in RStudio

**Usage**

```
insert_compound_assignment_pipe()
```

**Examples**

```
## Not run: insert_compound_assignment_pipe()
```

---

insert_equal	<i>Insert Equal</i>
--------------	---------------------

---

**Description**

Add = operator in line of code in RStudio

**Usage**

```
insert_equal()
```

**Examples**

```
## Not run: insert_equal()
```

# Index

`bare_combine`, [2](#)

`insert_compound_assignment_pipe`, [2](#)

`insert_equal`, [2](#)